

**AMERICAN MANUFACTURING COMPANY INC.
SERVICE & MAINTENANCE REPORT CONT.**

Serial # _____

Service notes cont.: _____

Press (F1) to return to main menu at any time. Press the noted (F2,F3) to review and (F4) to edit the referenced registers. After thirty seconds of inactive viewing of a register, the hand held will return to the top of the function register in use. After another four minutes of inactivity, the hand held will return to the main menu.

Legend: (m) minutes, (h) hours, (t) tenths of a second. All rest times are in minutes

Scr. No.	(F2) DATA RECORD	VALUE	Scr. No.	(F3) VIEW STATUS	VALUE	Scr. No.	(F4) EDIT SETTINGS	
1	Zone 1 Dose Counter		1	Current Zone		1	Zone 1 Run Time (t)	1,500-11,700
	Zone 1 Dose ETM (m)			Target Run Time (t)			Zone 2 Run Time (t)	1,500-11,700
2	Zone 2 Dose Counter			Elapsed Run Time (t)			Zone 3 Run Time (t)	1,500-11,700
	Zone 2 Dose ETM (m)		2	Zone Rest Target			Zone 4 Run Time (t)	1,500-11,700
3	Zone 3 Dose Counter			Elapsed Rest Time		2	Zone 1 Dose %	100
	Zone 3 Dose ETM (m)		3	SF Target Rest Time			Zone 2 Dose %	100
4	Zone 4 Dose Counter			SF Elapsed Time (m)			Zone 3 Dose %	100
	Zone 4 Dose ETM (m)		4	Z1 FF Dose Cnt			Zone 4 Dose %	100
5	Pump 1 Counter			Z2 FF Dose Cnt		3	2Z STD Enable Rest	180
	Pump 1 ETM (m)			Z3 FF Dose Cnt			2Z Peak Enable Rest	108
6	Pump 2 Counter			Z4 FF Dose Cnt		4	3Z STD Enable Rest	120
	Pump 2 ETM (m)		5	Next Zone to Dose			3Z Peak Enable Rest	72
7	Peak Dose Counter			Backflush Timer (t)		5	4Z STD Enable Rest	90
	Peak Enable ETM (m)		6	S.F.			4Z Peak Enable Rest	54
8	High Lvl Counter [opt.]			Peak		6	SF OFF Rest Time	190
	High Lvl ETM (m) [opt.]			Duplex			SF STD Enable Rest	90
9	Peak Zone ETM (m)			0=Off / 1=On			SF Peak Enable Rest	45
	Peak SF ETM (m)					7	Peak Dose Allow (h)	72
10	Zone 1 Field Flush Ctr.						Auto FF Time Int. (h)	336
	Zone 2 Field Flush Ctr.					8	Z1 FF Count Interval	25
	Zone 3 Field Flush Ctr.						Z2 FF Count Interval	25
	Zone 4 Field Flush Ctr.						Z3 FF Count Interval	25
							Z4 FF Count Interval	25
						9	Back Wash Frequency (t)	3,000

Note: All SF Registers are Optional features

PLEASE NOTE THAT IT IS NOW **REQUIRED**, EVERYTIME THAT AN INSPECTION, SERVICE & OR MAINTENANCE IS DONE AT EACH LOCATION THAT THIS SHEET IS TO BE FILLED OUT & RETURN TO AMERICAN MANUFACTURING